VEILLAT et al Serial No. 10/530,435 January 22. 2008

## AMENDMENT TO THE CLAIMS:

The following claim set replaces all prior versions, and listings, of claims in the application:

- (currently amended) Process for making a monofilament-like product from a procursor containing at least one strand of polyolofin fibroe, comprising the steps of;
  - exposing [[the]] a precursor of indefinite length containing at least one strand comprised of a spun yarn of polyolefin staple fibres to a temperature within the melting point range of the polyolefin fibres for a time sufficient to at least partly fuse <u>outer surface layers of</u> adjacent polyolefin fibres to one another, and
  - simultaneously <u>with step a)</u> stretching the precursor at a draw ratio of at least 1.0, characterised in that the strend is a spun yern made from polyelofin staple fibres.
- (original) Process according to claim 1, wherein the draw ratio is from 1.2 to
- (previously presented) Process according to claim 1, wherein the polyolefin is ultra- high molar mass polyethylene.
- (previously presented) Process according to claim 1, wherein the staple fibres have been obtained by stretch-breaking of a polyolefin multifilament yarn.
- (previously presented) Process according to claim 1, wherein the precursor contains plied and twisted strands.
- (previously presented) Process according to claim 1, further comprising a step preceding step a) of pretreating the precursor in order to enhance inter fibre bonding.

VEILLAT et al Serial No. 10/530,435 January 22. 2008

- (original) Process according to claim 6, wherein pretreating comprises applying an oil to the precursor.
- (original) Process according to claim 6, wherein pretreating comprises applying a polyurethane composition to the precursor.
- (previously presented) Process according to claim 1, further comprising a step of applying a coating composition to the product after steps a) and b).
- (currently amended) Monofilament-like product comprising an at least partly fused spun yarn made from polyolefin staple fibres made robtainable by the process according to claim 1.
- 11. (currently amended) A fishing line which comprises a Use of the monofilament-like product according to claim 10 for making various semi-finished and end use products, like fishing lines or out resistant articles.
- (new) A cut-resistant article which comprises a monofilament-like product according to claim 10.